



1. Building Facilities

◆Hall exhibition area	8,670 m ²
◆Ceiling height	17 to 31 m
◆Floor construction	Concrete
◆Floor load	5 t/m ²
◆Anchor bolt placement	Possible (Max depth 60 mm, Max size 16 ø)
◆Freight entrances	4 locations (Windbreak shutter at position A)
◆No. of pits	8 main pits (electrical) 8 main pits (mechanical) 4 subsidiary pits

[Side rooms]

1F Organizer's Office (125 m ²)	
2F Meeting Room (1) (62 m ²)	Meeting Room (2) (63 m ²)
Meeting Room (3) (63 m ²)	Meeting Room (4) (63 m ²)
Dressing Room (38 m ²)	

Total Rooms: 6

*[Note] Side room areas are calculated based on the internal dimensions.

2. Electrical Facilities *Accessed from electrical service pits in the floor

◆Transformer substations	S17, S23
◆Transformer capacity	Power 500kVA × 4 Lighting 300kVA × 6 200kVA × 2
◆Hall ceiling lighting	HID lighting

3. Communication Facilities * Accessed from subsidiary electrical pits in the floor

◆TV broadcast outlets	64
◆Communication facility outlets	104
◆Communication lines	Analog lines INS 64, high-speed broadband data links

4. Broadcast Facilities * Installed in the organizer's office

◆Input	1 microphone, 1 double cassette player, 1 CD/SD/USB player, 1 CD player 1 AUX (Note: A separate mixer amp is required when using as a microphone input)
◆Intercom	May broadcast to or receive from any hall

5. Machinery

	Outlets inside the exhibition hall	Outlets outside the exhibition hall
Water supply valves Water pressure 3~5Kg/cm ² (0.25~0.49 MPa) (Maximum flow rate 35m ³ /h)	14 locations (2 lines north and south) 1 meter/1 line (1) Main mechanical pit terminal (50ø × 1 BV/location) (2) Header inside mechanical trench (25ø × 3 BV/location) (80ø main pipe)	2 locations (meter must be attached) Truck yard side, wall-mounted (50ø × 1 BV/location)
Drainage outlets	Each pipe drains into a main mechanical pit	Discharges into a 600 □ outside drainage container (150ø drainage pipe)
Compressed air valves and pipe diameter	14 locations/1 line (100ø main pipe) Header inside mechanical trench (50ø × 1 BV/location) (25ø × 3 BV/location)	2 locations/1 line Truck yard side, wall-mounted (100ø × 1 BFV/location) (For attachment of compressors, etc.)
Coolant water valves and pipe diameter	7 locations/1 line (125ø main pipe) Header inside mechanical trench (80ø × 1 BFV/location) (Truck yard only) (50ø × 1 BV/location)	1 location/1 line Truck yard side, wall-mounted (150ø × 1 BFV/location) (For attachment of cooling tower, etc.)
Secondary fire hydrants and diameter	4 locations Inside subsidiary mechanical pits (25ø × 1 fire hose socket/location) (50ø × 1 GV/location)	None

*BV: Ball Valve *BFV: Butterfly Valve *MPa: Megapascals (unit of pressure) *GV: Gate Valve

6. Sanitary Facilities

◆Hall Restrooms

	Men's Restrooms (2 locations)			Women's Restrooms (2 locations)		
	Truck yard side	Galleria side	Total	Truck yard side	Galleria side	Total
Toilet stalls (Western style)	5 (-3)	4 (★1)	9	8 (+3)	12 (★1)	20
Toilet stalls (Japanese style)	1	1	2	1	1	2
Urinals	9	10	19	1	1	2
Wash basins	4	6	10	5	8	13
Wheelchair accessible toilet	1	1	2	1	1	2
Baby bed	1	1	2	1	1	2

* Truck yard side toilets can be changed using the movable partition
* ★...Number of ostomate support toilets included in a total

◆Kitchenette

Inside the hall	Next to the organizer's office	Rooms on the second floor	Total
2	1	1	4

7. Ventilation Equipment

◆Air conditioners	8 per hall		
◆Air conditioning capabilities			
Cooling	8,037 MJ/h	Supplied air (SA)	400,000 m ³ /h
Outside air (OA)	92,000 m ³ /h	Heating	2,813 MJ/h
Recycled air (RA)	400,000 m ³ /h	Exhaust air (EA)	92,000 m ³ /h
Humidification	352 kg/h		

8. Fire Prevention Equipment

◆Indoor fire extinguishers	5 locations
◆Outdoor fire extinguishers	2 locations
◆Fire detector scanning devices	2 locations (one each in the galleria and truck yard side, located 15.5 m above ground)
◆Water cannon system	2 locations (one each in the galleria and truck yard side, located 7.7 m above ground) * The water cannon system links with the abovementioned fire detector scanning devices to automatically extinguish fires
◆Sprinkler system	Sprinkler heads mounted on the ceiling of the main hall and other related rooms
◆Fire alarm system	<ul style="list-style-type: none"> • Automatic fire alarm system: Fire detectors mounted on the lower ceiling of the main hall and other related rooms • Fire alarm system: Mounted on the walls of the main hall (manually operated with a push button)
◆Smoke control system	<ul style="list-style-type: none"> • Main hall: Smoke windows installed in the upper areas of the hall • Organizer's offices: Smoke control openings installed (forced smoke control by fans)
◆Fire extinguishers	10 dry chemical extinguishers, 6 fortified liquid extinguishers
◆AED (Automated External Defibrillator)	• Organizer's office

9. Other Facilities Inside the Hall

◆Drink vending machine corner	1 location
◆Garbage disposal	1 location (truck yard)
◆Exhibitor lockers	2 locations