



## 1. Building Facilities

◆Hall exhibition area	1,120 m <sup>2</sup>
◆Ceiling height	10 to 12 m
◆Floor construction	Concrete
◆Floor load	5 t/m <sup>2</sup>
◆Anchor bolt placement	Not allowed
◆Freight entrances	from East 7 or East 8
◆No. of pits	2 main pits (electrical) 2 main pits (mechanical) 3 subsidiary pits

## 2. Electrical Facilities \*Accessed from electrical service pits in the floor

◆Transformer substations	None
◆Transformer capacity	—
◆Hall ceiling lighting	LED lighting

## 3. Communication Facilities \* Accessed from subsidiary electrical pits in the floor

◆TV broadcast outlets	4
◆Communication facility outlets	7
◆Communication lines	INS 64, high-speed broadband data links

## 4. Broadcast Facilities

None

## 5. Machinery

	Outlets inside the exhibition hall
Water supply valves	1 locations (1 lines east) Inside trench (25ø × 3 BV + 50ø × 1 BV) /location
Water pressure undecided	Main mechanical pit terminal (50ø × 1 BV) /location (Maximum flow rate 9m <sup>3</sup> /h) *Link Space is supplied by East Hall 7 water supply system
Drainage outlets	Each pipe drains into a main mechanical pit (Drainage pipe 150ø)
Compressed air valves and pipe diameter	1 locations (1 lines east) Inside trench (25ø × 3 BV + 50ø × 1 BV) /location *Link Space is supplied by East Hall 7 air compressor system
Coolant water valves and pipe diameter	None
Secondary fire hydrants and diameter	None

\*BV: Ball Valve \*BFV: Butterfly Valve \*MPa: Megapascals (unit of pressure) \*GV: Gate Valve

## 6. Sanitary Facilities

### ◆Hall Restrooms

	Men's Restrooms	Women's Restrooms
Toilet stalls (Western style)	6	11
Urinals	10	
Wash basins	7	6
Wheelchair accessible toilet	1 (★1)	1 (★1)
Baby bed	1	1

★...Number of ostomate support toilets included in a total

◆Kitchenette None

## 7. Ventilation Equipment

◆Air conditioners	1 per hall		
◆Air conditioning capabilities			
Cooling	1,285 MJ/h	Supplied air (SA)	56,000 m <sup>3</sup> /h
Outside air (OA)	18,000 m <sup>3</sup> /h	Heating	576 MJ/h
Recycled air (RA)	51,300 m <sup>3</sup> /h	Exhaust air (EA)	13,300 m <sup>3</sup> /h
Humidification	56 kg/h		

## 8. Fire Prevention Equipment

◆Indoor fire extinguishers	None
◆Outdoor fire extinguishers	None
◆Fire detector scanning devices	2 locations
◆Water cannon system	1 locations (located 5.0 m above ground)
◆Sprinkler system	Sprinkler heads mounted on the ceiling of the related rooms
◆Fire alarm system	• Automatic fire alarm system: Fire detectors mounted on the lower ceiling of the main hall and other related rooms
◆Smoke control system	• Main hall: Smoke windows installed in the upper areas of the hall • Organizer's offices: None
◆Fire extinguishers	4

## 9. Other Facilities Inside the Hall

◆Drink vending machine corner 1 location