



1. Building Facilities

| | |
|-------------------------|---|
| ◆ Hall exhibition area | 5,000 m ² |
| ◆ Ceiling height | 12 m |
| ◆ Floor construction | Concrete |
| ◆ Floor load | 5 t/m ² |
| ◆ Anchor bolt placement | Possible (Max depth 60 mm, Max size 16 ø) |
| ◆ Freight entrances | 2 locations |
| ◆ No. of pits | 11 main pits 2 subsidiary pits |

[Side rooms]

| | |
|--|---------------------------------------|
| 1F Organizer's Office (41 m ²) | |
| 2F Meeting Room (1) (40 m ²) | Meeting Room (2) (40 m ²) |
| Meeting Room (3) (23 m ²) | Meeting Room (4) (23 m ²) |
| Meeting Room (5) (23 m ²) | Meeting Room (6) (23 m ²) |
| Total Rooms: 7 | |

*Note Side room areas are calculated based on the internal dimensions.

2. Electrical Facilities

*Accessed from electrical service pits in the floor

| | |
|---------------------------|---|
| ◆ Transformer substations | SS42 |
| ◆ Transformer capacity | Power 750kVA × 1 500kVA × 1 500kVA (400v) × 1 |
| | Lighting 500kVA × 1 300kVA × 3 |
| ◆ Hall ceiling lighting | LED lighting |

3. Communication Facilities

* Accessed from subsidiary electrical pits in the floor

| | |
|----------------------------------|--|
| ◆ TV broadcast outlets | 36 |
| ◆ Communication facility outlets | TEL:66 LAN:36 |
| ◆ Communication lines | Analog lines INS 64, high-speed broadband data links |

4. Broadcast Facilities

* Installed in the organizer's office

| | |
|------------|--|
| ◆ Input | 1 microphone, 1 cassette player, 1 CD player with MD, 1 CD rack 1 AUX (Note: A separate mixer amp is required when using as a microphone input) |
| ◆ Intercom | May broadcast to or receive from any hall |

5. Machinery

| | Outlets inside the exhibition hall | Outlets outside the exhibition hall |
|---|---|--|
| Water supply valves Water pressure 3~5Kg/cm ² (0.25~0.49 MPa) (Maximum flow rate 35m ³ /h) | 10 locations (2 lines) 1 meter/1 line Main mechanical pit terminal (25ø × 1 BV/location) Inside trench (50ø × 1 BV/location) (80ø main pipe) | None |
| Drainage outlets | Connect to drainpipes in plumbing and wiring pit. | None |
| Compressed air valves and pipe diameter | 10 locations/1 line Main mechanical pit terminal (50ø × 1 BV/location) Inside trench (50ø × 1 BV/location) | 2 lines (1 locations/1 line) Truck yard side, wall-mounted (100ø × 1 BFV/location) (For attachment of compressors, etc.) |
| Coolant water valves and pipe diameter | 10 locations/1 line Inside trench (100ø × 1 BFV/location) | 2 lines (1 locations/1 line) Truck yard side, wall-mounted (100ø × 1 BFV/location) (For attachment of cooling tower, etc.) |
| Secondary fire hydrants and diameter | None | None |

*BV: Ball Valve *BFV: Butterfly Valve *MPa: Megapascals (unit of pressure) *GV: Gate Valve

6. Sanitary Facilities

◆Hall Restrooms

| | Men's Restrooms (1 locations) | Women's Restrooms (1 locations) |
|----------------------------------|-------------------------------|---------------------------------|
| | Shutter A side | Shutter A side |
| Toilet stalls (Western style) | 4(-2) (★1) | 9(+2) (★1) |
| Urinals | 7 | 0 |
| Wash basins | 5 | 4 |
| Wheelchair accessible toilet | 1 | 1 |
| Baby bed | 1 | 1 |

* Can be changed using the movable partition

* ★...Number of ostomate support toilets included in a total

◆Kitchenette

| Inside the organizer's office | Next to the first-aid room (shared with South Hall 1) | Total |
|-------------------------------|---|-------|
| 1 | 1 | 2 |

7. Ventilation Equipment

| | | | |
|--------------------------------|---------------------------|-------------------|---------------------------|
| ◆Air conditioners | 16 per hall | | |
| ◆Air conditioning capabilities | | | |
| Cooling | 4,936 MJ/h | Supplied air (SA) | 288,000 m ³ /h |
| Outside air (OA) | 38,800 m ³ /h | Heating | 1,763 MJ/h |
| Recycled air (RA) | 288,000 m ³ /h | Exhaust air (EA) | 32,000 m ³ /h |
| Humidification | 276.8 kg/h | | |

8. Fire Prevention Equipment

| | |
|---|--|
| ◆Indoor fire extinguishers | 7 locations |
| ◆Outdoor fire extinguishers | 2 locations |
| ◆Sprinkler system | Sprinkler heads mounted on the lower ceiling of the main hall and the ceiling of other related rooms |
| ◆Fire alarm system | <ul style="list-style-type: none"> • Automatic fire alarm system: Fire detectors mounted on the lower ceiling of the main hall and other related rooms • Fire alarm system: Mounted on the walls of the main hall (manually operated with a push button) |
| ◆Smoke control system | <ul style="list-style-type: none"> • Main hall: Smoke windows installed in the upper areas of the hall • Organizer's offices: Smoke control openings installed (forced smoke control by fans) |
| ◆Fire extinguishers | 5 dry chemical extinguishers, 8 fortified liquid extinguishers |
| ◆AED (Automated External Defibrillator) | • Organizer's office |

9. Other Facilities Inside the Hall

| | |
|-------------------|------------|
| ◆Garbage disposal | 1 location |
|-------------------|------------|