
TOKYO BIG SIGHT

South Exhibition Building South Hall 4



1. Building Facilities

◆Hall exhibition area
 ◆Ceiling height
 ◆Floor construction
 ◆Floor load
 2 t/m²

◆Anchor bolt placement Possible (Max depth 60 mm, Max size 16 ø)

◆Freight entrances
♦ No. of pits
2 locations
10 main pits
2 subsidiary pits

[Side rooms]

1F Organizer's Office (44 m²)

2F Meeting Room (1) (24 m²) Meeting Room (2) (25 m²) Meeting Room (3) (25 m²) Meeting Room (5) (21 m²) Meeting Room (5) (21 m²) Meeting Room (6) (19 m²) Meeting Room (7) (19 m²) Meeting Room (8) (19 m²)

Total Rooms: 9

*Note | Side room areas are calculated based on the internal dimensions.

2. Electrical Facilities *Accessed from electrical service pits in the floor

♦Transformer substations SS44

♦ Transformer capacity Power 750kVA × 1

500kVA × 1

500kVA (400v) × 1

Lighting 500kVA × 1

300kVA × 3

♦ Hall ceiling lighting LED lighting

3. Communication Facilities electrical pits in the floor

♦TV broadcast outlets 36

♦Communication facility outlets TEL:66 LAN:36

◆Communication lines Analog lines

INS 64, high-speed broadband data links

4. Broadcast Facilities* Installed in the organizer's office

♦Input 1 microphone, 1 cassette player,

1 CD player with MD, 1 CD rack

1 AUX

(Note: A separate mixer amp is required when using as a

microphone input)

◆Intercom May broadcast to or receive

5. Machinery

	Outlets inside the exhibition hall	Outlets outside the exhibition hall
Water supply valves Water pressure 2~4Kg/cm² (0.19~0.39 MPa) (Maximum flow rate 35m³/h)	8 locations 1 meter/1 line Main mechanical pit terminal 3F Maintenance space header (25ø × 1 BV/lo	/
Drainage outlets	Connect to drainpipes in plumbing and wiring pit.	None
Compressed air valves and pipe diameter	4 locations 3F Maintenance space (100ø × 1 BFV/lo	1 lines (1 locations/1 line) Truck yard side, wall-mounted (100ø × 1 BFV/location)
Coolant water valves and pipe diameter	4 locations 3F Maintenance space (100ø × 1 BFV/lo	1 lines (1 locations/1 line) Truck yard side, wall-mounted (100ø × 1 BFV/location)
Secondary fire hydrants and diameter	None	None

^{*}It is prohibited to pipe Compressed air and Coolant water at the same pit.

6. Sanitary Facilities

♦Hall Restrooms

♦Kitchenette

	Men's Restrooms (1 locations)	Women's Restrooms (1 locations)
	Truck yard side	Truck yard side
Toilet stalls (Western style)	3 (★1)	10 (★1)
Urinals	6	0
Wash basins	4	3
Wheelchair accessible toilet	1	1
Baby bed	1	1

^{* ★...}Number of ostomate support toilets included in a total

7. Ventilation Equipment

♦Air conditioners 16 per hall

♦Air conditioning capabilities

 Cooling
 4,936 MJ/h
 Supplied air (SA)
 288,000 m³/h

 Outside air (OA)
 38,800 m³/h
 Heating
 1,763 MJ/h

 Recycled air (RA)
 288,000 m³/h
 Exhaust air (EA)
 30,500 m³/h

Humidification 276.8 kg/h

8. Fire Prevention Equipment

♦ Indoor fire extinguishers 7 locations

♦ Sprinkler system Sprinkler heads mounted on the lower ceiling of the main hall and the ceiling of

other related rooms

◆Fire alarm system • Automatic fire alarm system: Fire

detectors mounted on the lower ceiling of the main hall and other related rooms

 Fire alarm system: Mounted on the walls of the main hall (manually operated with a push button)

◆Smoke control system • Main hall: Smoke windows installed in

the upper areas of the hall

Organizer's offices: Smoke control openings installed (forced smoke

control by fans)

◆Fire extinguishers 9 dry chemical extinguishers, 6 fortified liquid extinguishers

◆AED (Automated External Defibrillator) • Organizer's office

9. Other Facilities Inside the Hall

♦ Garbage disposal 1 location

Inside the organizer's office	Next to the police waiting room (shared with South Hall 3)	Total
1	1	2