



1. Building Facilities

- ◆Hall exhibition area 8,880 m²
- ◆Ceiling height 12 m
- ◆Floor construction Concrete
- ◆Floor load 5 t/m²
- ◆Anchor bolt placement Possible (Max depth 60 mm, Max size 16 ø)
- ◆Freight entrances 5 locations
- ◆No. of pits 33 main pits
4 subsidiary pits

[Side rooms]

- | | |
|--|---|
| 1F Organizer's Office (1) (38 m ²) | Organizer's Office (2) (36 m ²) |
| Meeting Room (1) (40 m ²) | Dressing Room (41 m ²) |
| 2F Meeting Room (2) (81 m ²) | Meeting Room (3) (43 m ²) |
| Meeting Room (4) (43 m ²) | Meeting Room (5) (45 m ²) |
| Meeting Room (6) (85 m ²) | Meeting Room (7) (53 m ²) |

Total Rooms: 10

*Note Side room areas are calculated based on the internal dimensions.

2. Electrical Facilities

*Accessed from electrical service pits in the floor

- ◆Transformer substations S4, S5
- ◆Transformer capacity Power 500kVA × 4
Lighting 300kVA × 6
200kVA × 2

- ◆Hall ceiling lighting HID lighting

3. Communication Facilities

* Accessed from subsidiary electrical pits in the floor

- ◆TV broadcast outlets 68
- ◆Communication facility outlets 102
- ◆Communication lines Analog lines
INS 64, high-speed
broadband data links

4. Broadcast Facilities

* Installed in each organizer's office

- ◆Input 1 microphone, 1 cassette player,
1 CD player with MD, 1 CD rack
1 AUX
(Note: A separate mixer amp is
required when using as a
microphone input)
- ◆Intercom May broadcast to or receive
from any hall

5. Machinery

	Outlets inside the exhibition hall	Outlets outside the exhibition hall
Water supply valves Water pressure 3~5Kg/cm ² (0.25~0.49 MPa) (Maximum flow rate 54m ³ /h)	15 locations (2 lines) 1 meter/1 line (1) Main mechanical pit terminal (50ø × 1 BV/location) (2) Header inside mechanical trench (50ø × 1 BV/location) (80ø main pipe) (25ø × 3 BV/location)	2 locations (meter must be attached) Truck yard side, wall-mounted (50ø × 1 BV/location)
Drainage outlets	Each pipe drains into a main mechanical pit	Discharges into a 600 □ outside drainage container (150ø drainage pipe)
Compressed air valves and pipe diameter	15 locations/1 line (100ø main pipe) Header inside mechanical trench (50ø × 1 BV/location) (25ø × 3 BV/location)	2 lines (1 location/line) Truck yard side, wall-mounted (100ø × 1 BFV/location) (For attachment of compressors, etc.)
Coolant water valves and pipe diameter	12 locations/1 line (100ø main pipe) Header inside mechanical trench (50ø × 1 BF/location) (25ø × 3 BV/location)	2 lines (1 location/line) Truck yard side, wall-mounted (150ø × 1 BFV/location) (For attachment of cooling tower, etc.)
Secondary fire hydrants and diameter	8 locations Inside subsidiary mechanical pits (25ø × 1 fire hose socket/location) (50ø × 1 GV/location)	None

*BV: Ball Valve *BFV: Butterfly Valve *MPa: Megapascals (unit of pressure) *GV: Gate Valve

6. Sanitary Facilities

◆Hall Restrooms

	Men's Restrooms (2 locations)			Women's Restrooms (2 locations)		
	Shutter AB side	Shutter DE side	Total	Shutter AB side	Shutter DE side	Total
Toilet stalls (Western style)	3 (★1)	2	5	9 (★1)	8 (★1)	17
Toilet stalls (Japanese style)	1	1	2	1	1	2
Urinals	11	10	21	1	1	2
Wash basins	5	4	9	9	4	13
Wheelchair accessible toilet	0	1	1	0	1	1
Baby bed	1	0	1	1	1	2

* ★...Number of ostomate support
toilets included in a total

◆Kitchenette

Inside the hall	Next to the organizer's office	Next to the dressing room (shared with West Hall 1)	Rooms on the second floor	Total
2	1	1	1	5

7. Ventilation Equipment

◆Air conditioners	8 per hall		
◆Air conditioning capabilities			
Cooling	7,434 MJ/h	Supplied air (SA)	400,000 m ³ /h
Outside air (OA)	116,000 m ³ /h	Heating	4,533 MJ/h
Recycled air (RA)	400,000 m ³ /h	Exhaust air (EA)	116,000 m ³ /h
Humidification	520 kg/h		

8. Fire Prevention Equipment

◆Indoor fire extinguishers	8 locations
◆Outdoor fire extinguishers	5 locations
◆Sprinkler system	Sprinkler heads mounted on the ceiling of the main hall and other related rooms
◆Fire alarm system	• Automatic fire alarm system: Fire detectors mounted on the lower ceiling of the main hall and other related rooms • Fire alarm system: Mounted on the walls of the main hall (manually operated with a push button)
◆Smoke control system	• Main hall: Smoke windows installed in the upper areas of the hall • Organizer's offices: Smoke control openings installed (forced smoke control by fans)
◆Fire extinguishers	9 dry chemical extinguishers, 9 fortified liquid extinguishers
◆AED (Automated External Defibrillator)	• Organizer's office (1)

9. Other Facilities Inside the Hall

◆Drink vending machine corner	1 location
◆Garbage disposal	2 locations
◆Exhibitor lockers	2 locations