



1. Building Facilities

◆Hall exhibition area	4,680 m ²
◆Ceiling height	13 to 18 m
◆Floor construction	Concrete
◆Floor load	2 t/m ²
◆Anchor bolt placement	Possible (Max depth 60 mm, Max size 16 ø)
◆Freight entrances	2 locations
◆No. of pits	9 main pits 2 subsidiary pits

[Side rooms]

4F Organizer's Office (38 m ²)	Meeting Room (1) (40 m ²)
5F Meeting Room (2) (88 m ²)	Meeting Room (3) (81 m ²)
Meeting Room (4) (89 m ²)	
Dressing Room (48 m ²) (shared with West Hall 4)	
Total Rooms: 6	

*Note Side room areas are calculated based on the internal dimensions.

*Note Due to the floor surface being made of epoxy, we ask that you use a weak adhesive tape when adhesive tape is required to fix carpeting in place.

2. Electrical Facilities *Accessed from electrical service pits in the floor

◆Transformer substations	S10
◆Transformer capacity	Power 500kVA × 2 Lighting 300kVA × 3
◆Hall ceiling lighting	HID lighting

3. Communication Facilities * Accessed from subsidiary electrical pits in the floor

◆TV broadcast outlets	36
◆Communication facility outlets	70
◆Communication lines	Analog lines INS 64, high-speed broadband data links

4. Broadcast Facilities * Installed in organizer's offices

◆Input	1 microphone, 1 cassette player, 1 CD player with MD, 1 CD rack 1 AUX (Note: A separate mixer amp is required when using as a microphone input)
◆Intercom	May broadcast to or receive from any hall

5. Machinery

	Outlets inside the exhibition hall	Outlets outside the exhibition hall
Water supply valves Water pressure 2~4Kg/cm ² (0.19~0.39 MPa) (Maximum flow rate 54m ³ /h)	8 locations 1 meter/1 line Water supply and drainage junction box in the corner of the hall (25ø × 1 BV/location)	None
Drainage outlets and diameter	8 locations 1 meter/1 line Water supply and drainage junction box in the corner of the hall (80ø × 1 BV/location)	None
Compressed air valves and pipe diameter	None	None
Coolant water valves and pipe diameter	None	None
Secondary fire hydrants and diameter	None	None

6. Sanitary Facilities

◆Hall Restrooms

	Men's Restrooms (1 location)	Women's Restrooms (1 location)
	Truck yard side	Truck yard side
Toilet stalls (Western style)	2	8 (★1)
Toilet stalls (Japanese style)	1	1
Urinals	10	1
Wash basins	4	4
Wheelchair accessible toilet	1	1
Baby bed	0	1

* ★...Number of ostomate support toilets included in a total

◆Kitchenette

Inside the hall	Next to the organizer's office	Rooms on the fifth floor (shared with West Hall 4)	Total
1	1	1	3

7. Ventilation Equipment

◆Air conditioners	4 per hall		
◆Air conditioning capabilities			
Cooling	3,817 MJ/h	Supplied air (SA)	200,000 m ³ /h
Outside air (OA)	58,000 m ³ /h	Heating	1,975 MJ/h
Recycled air (RA)	200,000 m ³ /h	Exhaust air (EA)	58,000 m ³ /h
Humidification	260 kg/h		

8. Fire Prevention Equipment

◆Indoor fire extinguishers	2 locations
◆Sprinkler system	Sprinkler heads mounted on the ceiling of the main hall and other related rooms
◆Fire alarm system	<ul style="list-style-type: none"> • Automatic fire alarm system: Fire detectors mounted on the lower ceiling of the main hall and other related rooms • Fire alarm system: Mounted on the walls of the main hall (manually operated with a push button)
◆Smoke control system	<ul style="list-style-type: none"> • Main hall: Smoke windows installed in the upper areas of the hall • Organizer's offices: Smoke control openings installed (forced smoke control by fans)
◆Fire extinguishers	4 dry chemical extinguishers, 6 fortified liquid extinguishers
◆AED (Automated External Defibrillator)	• Organizer's office

9. Other Facilities Inside the Hall

◆Drink vending machine corner	1 location
◆Garbage disposal	1 location
◆Exhibitor lockers	1 location