



1. Building Facilities

◆Exhibition area	2,000 m ²
◆Ceiling height	23 m
◆Floor construction	Artificial tiling
◆Floor load	0.36 t/m ²
◆Anchor bolt placement	Not allowed (hooks available)

2. Electrical Facilities

*Accessed from electrical service pits in the floor

◆Transformer substations	S24
◆Transformer capacity	Power 500kVA × 1
	Lighting 300kVA × 2
◆Ceiling lighting	HID lighting

3. Communication Facilities

* Accessed from subsidiary electrical pits in the floor

◆TV broadcast outlets	1
◆Communication facility outlets	1
◆Communication lines	Analog lines
	INS 64, high-speed
	broadband data links

4. Broadcast Facilities

* Please consult with us before using.

◆Input	Can be controlled by installing a multi-purpose remote control
◆Intercom	May receive from any hall

5. Machinery

	Outlets inside the exhibition hall	Outlets outside the exhibition hall
Water supply valves Water pressure	None	None
Drainage outlets	None	None
Compressed air valves and pipe diameter	None	None
Coolant water valves and pipe diameter	None	None
Secondary fire hydrants and diameter	None	None

6. Sanitary Facilities

◆Atrium Restrooms

	Men's Restrooms (3 locations)				Women's Restrooms (3 locations)			
	West 1 side	West 2 side	Side of service entrance	Total	West 1 side	West 2 side	Side of service entrance	Total
Toilet stalls (Western style)	5 (-2)	5 (-3)	3	13	4 (+2)	5 (+3)	6 (★1)	15
Toilet stalls (Japanese style)	1	1	1	3	1	1	1	3
Urinals	9	10	6	25	1	1	1	3
Wash basins	4	8	3	15	4	7	4	15
Wheelchair accessible toilet	1	0	0	1	1	0	0	1
Baby bed	1	1	1	3	1	1	1	3

* West 1 side and 2 side toilets can be changed using the movable partition

* ★...Number of ostomate support toilets included in a total

7. Ventilation Equipment

◆Air conditioners	10 per hall		
◆Air conditioning capabilities			
Cooling	4,102 MJ/h	Supplied air (SA)	240,000 m ³ /h
Outside air (OA)	74,000 m ³ /h	Heating	2,750 MJ/h
Recycled air (RA)	223,000 m ³ /h	Exhaust air (EA)	74,000 m ³ /h
Humidification	350 kg/h		

8. Fire Prevention Equipment

◆Indoor fire extinguishers	6 locations
◆Sprinkler system	Sprinkler heads mounted on the ceiling
◆Fire alarm system	<ul style="list-style-type: none"> • Automatic fire alarm system: Discrete photoelectric sensors mounted on ceiling catwalk • Fire alarm system: Mounted on the walls (manually operated with a push button)
◆Smoke control system	• Smoke windows installed in upper areas of the Atrium
◆Fire extinguishers	7 dry chemical extinguishers, 6 fortified liquid extinguishers
◆AED (Automated External Defibrillator)	1 location

9. Other Facilities Inside the Hall

◆Public telephone corner	2 locations
◆Drink vending machine corner	6 locations